
39 320262

MONTAGE AT TIBURON CONDOMINIUM

A CONDOMINIUM RESUBDIVISION OF THE TERRACES AT TIBURON CONDOMINIUM AMENDED AS RECORDED IN BOOK 320, PAGE 14, M.C.R., WHICH IS A CONDOMINIUM RESUBDIVISION OF THE TERRACES AT TIBURON CONDOMINIUM, A CONDOMINIUM SUBDIVISION OF RECORD AS RECORDED IN BOOK 302, PAGE 33, M.C.R. AND THE TERRACES AT TIBURON CONDOMINIUM PHASES 2 THRU 10, A CONDOMINIUM SUBDIVISION OF RECORD AS RECORDED IN BOOK 307, PAGE 2, M.C.R., AND SITUATED IN A PORTION OF THE NW 1/4 OF SECTION 19, T.1S., R.5E., G.&S.R.B.&M., MARICOPA COUNTY, ARIZONA STATE OF AREZONA 3 % Constyni Madeopa E Fishing county that the with in instrumed, was filled and rewith a transfer Coventry Home's M 1389-320



87-579466, & _____, M.C.R. MARICOPA COUNTY RECORDERS OFFICE, COVENTRY HOMES, INC., AS DECLARANT, HAS RESERVED THE

RIGHT TO ANNEX OR DEANNEX CERTAIN PROPERTY FROM THE

DEDICATION

KNOW ALL MEN BY THESE PRESENTS: THAT COVENTRY HOMES, INC., AN ARIZONA CORPORATION, AS OWNER, HAS CREATED A CONDOMINIUM UNDER THE NAME OF MONTAGE AT TIBURON CONDOMINIUM, A CONDOMINIUM RESUBDIVISION OF THE TERRACES AT TIBURON CONDOMINIUM AMENDED AS RECORDED IN BOOK 320, PAGE 14, M.C.R. WHICH CONDOMINIUM SUBDIVISION OF RECORD AS RECORDED IN BOOK 302, PAGE 33, M.C.R. SUBDIVISION OF RECORD AS RECORDED IN BOOK 307, PAGE 2, M.C.R., A PART OF THE SWA OF SECTION 19, TIS, R5E, G&SRB&M, MARICOPA COUNTY, ARIZONA, AS SHOWN AND HEREBY PUBLISHES THIS PLAT OF SAID MONTAGE AT TIBURON CONDOMINIUM AND HEREBY DECLARES THAT SAID PLAT SETS FORTH THE LOCATION AND GIVES THE COMMON AREA CONSTITUTING SAME AND THAT EACH STREET, TRACT, AND UNIT SHALL BE KNOWN BY THE NAME, LETTER, AND NUMBER THAT IS GIVEN EACH RESPECTIVELY ON SAID PLAT AND COVENTRY HOMES HEREBY DEDICATES TO THE PUBLIC PRICE ROAD HIGHLAND STREET, AND CORONADO STREET SHOWN ON SAID PLAT. A BLANKET EASEMENT FOR INGRESS AND EGRESS, PUBLIC UTILITIES, DRAINAGE, SIDEWALK, WATER LINES, SEWER LINES, ELECTRIC, TELEPHONE, REFUSE COLLECTION, AND CABLE TV IS GRANTED ACROSS TRACT B. A BLANKET DRAINAGE EASEMENT IS GRANTED ACROSS THE COMMON AREAS AND TRACT A, TRACT B AND THE COMMON AREAS WILL BE OWNED AND MAINTAINED BY THE TERRACES AT TIBURON CONDOMINIUM HOMEOWNERS ASSOCIATION. TRACT A WILL BE MAINTAINED BY ITS OWNER. EASEMENTS ARE PROVIDED FOR THE USES SHOWN.

STATE OF ARIZONA

AUTHORIZED SO TO DO EXECUTED THE FOREGOING INSTRUMENT FOR THE PURPOSES THEREIN CONTAINED BY SIGNING THE NAME OF THE CORPORATION AS OWNER, BY

I, SCOTT M. LARSON, HEREBY CERTIFY: THAT I AM A REGISTERED LAND SURVEYOR IN THE SATE OF ARIZONA; THAT THIS MAP CONSISTING OF 10 SHEETS CORRECTLY REPRESENTS A SURVEY MADE UNDER MY SUPERVISION DURING THE MONTH OF NOVEMBER, 1985; THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN; THAT ALL MONUMENTS SHOWN ACTUALLY EXIST OR WILL BE SET AS SHOWN; THAT THEIR POSITIONS ARE CORRECTLY SHOWN, AND THAT SAID MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED.





THIS IS TO CERTIFY THAT ALL LOTS SHOWN HEREON IN THIS SUBDIVISION CONFORM


THIS IS TO CERTIFY THAT ALL ENGINEERING CONDITIONS AND REQUIREMENTS OF THE SUBDIVISION CODE HAVE BEEN COMPLIED WITH AND THAT THE PROPOSED SUBDIVISION IS LOCATED WITHIN AN AREA DESIGNATED AS HAVING AN ASSURED WATER SUPPLY PURSUANT TO SECTION 45-576, ARIZONA REVISED STATUTES.


APPROVED BY THE CITY COUNCIL OF THE CITY OF CHANDLER_ARIZONA


The second second second











4 UNIT BUILDING


1ST FLOOR PLAN (TYPICAL)

SEE SHEET 8-TOP FOR BASEMENT DETAIL



SHEET 5 OF 10


. 333-1



J9 320202

Coverty Hone

3 oly 13 mb 3:00



5 UNIT BUILDING

1ST FLOOR PLAN (TYPICAL)

SEE SHEET 8-MID. FOR BASEMENT DETAIL





SHEET 6 OF 10

333-1

AMERICAN ENGINEERING CO.

consulting engineers / surveyors





6 UNIT BUILDING 1ST FLOOR PLAN (TYPICAL)


AMERICAN ENGINEERING CO.


consulting engineers / surveyors


SEE SHEET 8-BTM. FOR BASEMENT DETAIL



SHEET 7 OF 10









4 UNIT BUILDING
BASEMENT PLAN (TYPICAL)

SEE SHEET 5 FOR FIRST FLOOR DETAIL



5 UNIT BUILDING
BASEMENT PLAN (TYPICAL)

SEE SHEET 6 FOR FIRST FLOOR DETAIL



6 UNIT BUILDING
BASEMENT PLAN (TYPICAL)

consulting engineers / surveyors

AMERICAN ENGINEERING CO.

SEE SHEET 7 FOR FIRST FLOOR DETAIL





SHEET 8 OF 10

.

333 -1


VERTICAL ELEVATION DETAIL







TYPICAL VERTICAL ELEVATION DETAIL
ALL UNITS WITHIN CONDOMINIUMS ARE AS DEPICTED ABOVE

UNIT NO.	UNIT TYPE	MAIN FINISHED FLOOR	RAISED FINISHED FLOOR	BASEMENT FINISHED FLOOR
109	4	88.40	89.90	81.07
110	3	88.40	89.90	81.07
111	3 2	88.40	89.90	81.07
112	4 R	88.40	89.90	81.07
113	3	88.90	90.40	81.57
114	2	88.90	90.40	81.57
115	3R	88.90	90.40	81.57
116	2	88.90	90.40	81.57
117	4R	88.90	90.40	81.57
118	3	89.16	90.66	81.83
119	2	89.16	90.66	81.83
120	3R	89.16	90.66	81.83
121	2	89.16	90.66	81.83
122	4R	89.16	90.66	81.83
123	3	90.40	91.90	83.07
124	2R	90.40	91.90	83.07
125	3R	90.40	91.90	83.07
126	1R	90.40	91.90	83.07
127	2	90.40	91.90	83.07
128	4R	90.40	91.90	83.07
129		90.40	91.90	83.07
130	3 2	90.40	91.90	83.07
131	3R	90.40	91.90	83.07
132	2	90.40	91.90	83.07
133	4R	90.40	91.90	83.07
134	3	89.00	90.50	81.67
135	2R	89.00	90.50	81.67
136	3R	89.00	90.50	81.67
137	1R	89.00	90.50	81.67
138	2	89.00	90.50	81.67
139	4 R	89.00	90.50	81.67
140		8 8.90	90.40	81.57
141	3 2	88.90	90.40	81.57
142	3R	88.90	90.40	81.57
143	2	88.90	90.40	81.57
144	4R	88.90	90.40	81.57
145	3	89.30	90.80	81.97
146	3 2	89.30	90.80	81.97
147	3R	89.30	90.80	81.97
148	2	89.30	90.80	81.97
149	4 R	89.30	90.80	81.97
150	3 2	88.80	90.30	81.47
151	2	88.80	90.30	81.47
152	3R	88.80	90.30	81.47
153	2	88.80	90.30	81.47
154	4 R	88.80	90.30	81.47
155	4 R	88.80	90.30	81.47
156	2	88.80	90.30	81.47
157	1R	88.80	90.30	81.47
158	3R	88.80	90.30	81.47
159	2R	88.80	90.30	81.47
160	3	88.80	90.30	81.47
161	4 R	89.10	90.60	81.77
162	2	89.10	90.60	81.77
163	1R	89.10	90.60:	81.77
164	3R	89.10	90.60	81.77
165	2R	89.10	90.60	81.77
166	3	89.10	90.60	81.77
167	4	89.10	90.60	81.77
168	3 2	89.10	90.60	81.77
169 170	2 10	89.10	90.60	81.77
170	ΛU	00 10	00 60	01 77





- PLAN 1





SHEET 9 OF 10

89040 333-1

Charles of Maricope

I hasoly castily that the with in instrument wer filed and re-

MONTAGE AT TIBURON CONDOMINIUM

LEGAL DESCRIPTION
PHASE .3
MONTAGE AT TIBURON CONDOMINIUM

That portion of Section 19, T1S, R5E, G&SRB&M, Maricopa County, Arizona, being more particularly described as follows:

Commencing at the NW corner of said Section 19; thence SOO°23'47"W along the west line of said Section 19 a distance of 1296.24 feet; thence S89°36'13"E along the center line of Highland Street a distance of 159.67 feet to a point of curvature of a circular curve concave northerly having a radius of 1500.00 feet; thence easterly along said curve through a central angle of 15°28'11" a distance of 405.00 feet to a point of tangency; thence N74°55'36"E along the center line of Highland Street a distance of 540.54 feet; thence \$15°04'24"E a distance of 30.00 feet; thence S60°04'24"E a distance of 21.21 feet; thence S15°04'24"E along the west right-of-way line of Coronado Street a distance of 195.00 feet to a point of curvature of a circular curve concave easterly having a radius of 1533.00 feet; thence southerly along said curve through a central angle of 11°35'50" a distance of 310.29 feet to a point of tangency; thence \$26°40'14"E a distance of 166.34 feet to a point on the northerly line of The Woods at Tiburon Unit 1 as recorded in Book 256, Page 30, Maricopa County Recorders Office, the following bearings and distances are in common with the said northerly line of The Woods at Tiburon Unit 1; thence \$52°27'39"W a distance of 242.13 feet to the TRUE POINT OF BEGINNING; thence continuing S52°27'39"W a distance of 76.03 feet; thence N72°55'57"W a distance of 119.25 feet; thence S86°40'56"W a distance of 60.69+ feet; thence NO5°00'00"W leaving said northerly line of The Woods at Tiburon Unit 1 a distance of 151.88 feet; thence N85°00'00"E a distance of 18.50 feet; thence NO5°00'00"W a distance of 9.00 feet; thence N85°00'00"E a distance of 47.54 feet to a point of curvature of a circular curve concave southwesterly having a radius of 20.00 feet; thence southeasterly along said curve through a central angle of 80°30'00" a distance of 28.10 feet to a point of non-tangency; thence N55°24'21"E a distance of 25.56 feet to a point of non-tangency on a circular curve concave southeasterly whose radius bears N75°30'00"E a distance of 20.00 feet; thence northeasterly along said curve through a central angle of 65°30'35" a distance of 22.87 feet to a point of reverse curvature of a circular curve concave northwesterly having a radius of 92.50 feet; thence northeasterly along said curve through a central angle of 25°27'07" a distance of 41.09 feet to a point of non-tangency; thence \$64°26'31"E a distance of 53.56 feet; thence S18°35'18"E a distance of 190.14 feet to the TRUE POINT OF BEGINNING.

The above described parcel containing 0.94 Acres more or less.

LEGAL DESCRIPTION
PHASE 6
MONTAGE AT TIBURON CONDOMINIUM

That portion of Section 19, T1S, R5E, G&SRB&M, Maricopa County, Arizona, being more particularly described as follows:

Commencing at the NW corner of said Section 19; thence SOO°23'47"W along the west line of said Section 19 a distance of 1296.24 feet; thence S89°36'13"E along the center line of Highland Street a distance of 159.67 feet to a point of curvature of a circular curve concave northerly having a radius of 1500.00 feet; thence Easterly along said curve also being the center line of Highland Street through a central angle of 15°28'11" a distance of 405.00 feet to a point of tangency; thence N74°55'36"E along the center line of Highland Street a distance of 187.15 feet; thence \$15°04'24"E a distance of 87.00 feet to a point of curvature of a circular curve concave easterly having a radius of 359.98 feet; thence Southerly along said curve through a central angle of 15°56'47" a distance of 100.19 feet to a point on a circular curve concave northerly whose radius bears N33°18'13"W a distance of 700.00 feet; thence Westerly along said curve through a central angle of 04°23'34" a distance of 53.67 feet to a point of non-tangency; thence S28°54'39"W a distance of 12.50 feet; thence S12°36'13"E a distance of 196.27 feet; thence N82°02'21"E a distance of 41.10 feet to the TRUE POINT OF BEGINNING; thence NO5°00'00"W a distance of 52.28 feet; thence N75°25'35"E a distance of 73.36 feet; thence N33°48'15"E a distance of 20.00 feet; thence \$56°11'45"E a distance of 20.00 feet to a point of curvature of a circular curve concave westerly having a radius of 187.50 feet; thence Southerly along said curve through a central angle of 25°51'53" a distance of 84.64 feet to a point of compound curvature with a circular curve concave northwesterly having a radius of 20.00 feet; thence Southwesterly along said curve through a central angle of 113°43'39" a distance of 39.70 feet to a point of non-tangency; thence \$40°38'17"E a distance of 28.96 feet to a point of non-tangency on a circular curve concave southwesterly whose radius bears \$06°36'13"E a distance of 20.00 feet; thence Southeasterly along said curve through a central angle of 84°35'18" a distance of 29.53 feet to a point of compound curvature with a circular curve concave westerly having a radius of 237.50 feet; thence Southerly along said curve through a central angle of 03°48'40" a distance of 15.80 feet to a point of compound curvature with a circular curve concave northwesterly having a radius of 67.50 feet; thence Southwesterly along said curve through a central angle of 93°12'15" a distance of 109.80 feet to a point of tangency; thence \$85°00'00"W a distance of 106.21 feet; thence NO5°00'00"W a distance of 155.00 feet to the TRUE POINT OF BEGINNING.

The above described parcel containing 0.75 Acres more or less.

LEGAL DESCRIPTION
PHASE 4
MONTAGE AT TIBURON CONDOMINIUM

That portion of Section 19, T1S. R5E, G&SRB&M, Maricopa County, Arizona, being more particularly described as follows:

Commencing at the NW corner of said Section 19; thence SOO°23'47"W along the west line of said Section 19 a distance of 1296.24 feet; thence S89°36'13"E along the center line of Highland Street a distance of 159.67 feet to a point of curvature of a circular curve concave northerly having a radius of 1500.00 feet; thence easterly along said curve through a central angle of 15°28'11" a distance of 405.00 feet to a point of tangency; thence N74°55'36"E along the center line of Highland Street a distance of 540.54 feet; thence S15°04'24"E a distance of 30.00 feet; thence S60°04'24"E a distance of 21.21 feet thence S15°04'24"E along the west right-of-way line of Coronado Street a distance of 195.00 feet to a point of curvature of a circular curve concave easterly having a radius of 1533.00 feet; thence southerly along said curve through a central angle of 11°35'50" a distance of 310.29 feet to a point of tangency; thence \$26°40'14"E a distance of 166.34 feet to a point on the northerly line of The Woods at Tiburon Unit 1 as recorded in Book 256, Page 30, Maricopa County Recorders Office, the following bearings and distances are in common with the said northerly line of The Woods at Tiburon Unit 1; thence S52°27'39"W a distance of 318.16 feet; thence N72°55'57"W a distance of 119.25 feet; thence S86°40'56"W a distance of 60.69 feet to the TRUE POINT OF BEGINNING; thence S86°40'56"W a distance of 215.77 feet; thence S72°34'12"W a distance of 22.14 feet; thence N16°00'00"W a leaving said northerly line of The Woods at Tiburon Unit 1 a distance of 128.87 feet; thence N74°00'00"E a distance of 32.50 feet to a point of non-tangency of a circular curve concave southeasterly whose radius bears N74°00'00"E a distance of 20.00 feet; thence northeasterly along said curve through a central angle of 97°14'29" a distance of 33.94 feet to a point of compound curvature of a circular curve concave southerly having a radius of 1317.42 feet; thence easterly along said curve through a central angle of 03°29'06" a distance of 80.13 feet to a point of compound curvature of a circular curve concave southwesterly having a radius of 20.00 feet; thence southeasterly along said curve through a central angle of 90°16'25" a distance of 31.51 feet to a point of non-tangency; thence N84°57'53"E a distance of 24.00 feet to a point of non-tangency of a circular curve concave southeasterly whose radius bears N85°00'00"E a distance of 20.00 feet; thence northeasterly along said curve through a central angle of 90°00'00" a distance of 31.42 feet to a point of tangency; thence N85°00'00"E a distance of 10.00 feet; thence \$05°00'00"E a distance of 9.00 feet; thence N85°00'00"E a distance of 57.50 feet; thence S05°00'00"E a distance of 151.88 feet to the TRUE POINT OF BEGINNING.


The above described parcel containing 0.86 Acres more or less.

LEGAL DESCRIPTION
PHASE 7
MONTAGE AT TIBURON CONDOMINIUM

That portion of Section 19, T1S, R5E, G&SRB&M, Maricopa County, Arizona, being more particularly described as follows:

Commencing at the NW corner of said Section 19; thence SOO°23'47"W along the west line of said Section 19 distance of 1296.24 feet; thence S89°36"13"E along the center line of Highland Street a distance of 159.67 feet to a point of curvature of a circular curve concave northerly having a radius of 1500.00 feet; thence Easterly along ,said curve also being the center line of Highland Street through a central angle of 15°28'11" a distance of 405.00 feet to a point of tangency; thence N74°55'36"E along the center line of Highland Street a distance of 187.15 feet; thence \$15°04'24"E a distance of 87.00 feet to a point of curvature of a circular curve concave easterly having a radius of 359.98 feet; thence Southerly along said curve through a central angle of 15°56'47" a distance of 100.19 feet to a point on a circular curve concave northerly whose radius bears N33°18'13"W a distance of 700.00 feet; thence Westerly along said curve through a central angle of 04°23'34" a distance of 53.67 feet to a point of non-tangency; thence S28°54'39"E a distance of 12.50 feet to the TRUE POINT OF BEGINNING; thence S12°36'13"E a distance of 196.67 feet; thence S82°02'21"W a distance of 196.72 feet to a point of non-tangency of a circular. curve concave easterly whose radius bears N70°21'01"E a distance of 387.50 feet; thence northerly along said curve through a central angle of 07°02'46" a distance of 47.65 feet to a point of tangency; thence N12°36'13"W a distance of 73.53 feet to a point of curvature of a circular curve concave westerly having a radius of 412.50 feet; thence northerly along said curve through a central angle of $01^{\circ}26'47"$ a distance of 10.41 feet to a point of reverse curvature with a circular curve concave southeasterly having a radius of 20.00 feet; thence northeasterly along said curve through a central angle of 89°48'34" a distance of 31.35 feet to a point of non-tangency; thence \$14°14'26"E a distance of 9.00 feet to a point of non-tangency on a circular curve concave northerly whose radius bears N14°14'26"W a distance of 721.50 feet; thence Easterly along said curve through a central angle of 03°44'02" a distance of 47.02 feet to a point of non-tangency; thence N17°58'28"W a distance of 9.00 feet to a point of non-tangency on a circular curve concave southwesterly whose radius bears \$17°58'28"E a distance of 20.00 feet; thence Southeasterly along said curve through a central angle of 95°22'15" a distance of 33.29 feet to a point of non-tangency; thence N57°05'37"E a distance of 25.59 feet to a point of non-tangency on a circular curve concave southeasterly whose radius bears N77°23'47"E a distance of 20.00 feet; thence Northeasterly along said curve through a central angle of 79°34'25" a distance of 27.78 feet to a point of reverse curvature of a circular curve concave northerly having a radius of 712.50 feet; thence Easterly along said curve through a central angle of 05°52'51" a distance of 73.13 feet to the TRUE POINT OF BEGINNING.

The above described parcel containing 0.75 Acres more or less.



LEGAL DESCRIPTION
PHASE 5
MONTAGE AT TIBURON CONDOMINIUM

That portion of Section 19, T1S, R5E,, G&SRB&M, Maricopa County, Arizona, being more particularly described as follows:

Commencing at the NW corner of said Section 19; thence SOO°23'47"W along the west line of said Section 19 a distance of 1296.24 feet; thence S89°36'13"E along the center line of Highland Street a distance of 159.67 feet to a point of curvature of a circular curve concave northerly having a radius of 1500.00 feet; thence Easterly along said curve also being the center line of Highland Street through a central angle of 15°28'11" a distance of 405.00 feet to a point of tangency; thence N74°55'36"E along the center line of Highland Street a distance of 187.15 feet; thence S15°04'24"E a distance of 87.00 feet to a point of curvature of a circular curve concave easterly having a radius of 359.98 feet; thence Southerly along said curve through a central angle of 15°56'47" a distance of 100.19 feet to a point on a circular curve concave northerly whose radius bears N33°18'13"W a distance of 700.00 feet; thence Westerly along said curve through a central angle of 04°23'34" a distance of 53.67 feet to a point of non-tangency; thence S28°54'39"E a distance of 12.50 feet; thence S12°36'13"E a distance of 196.27 feet; thence N82°02'21"E a distance of 41.10 feet to the TRUE POINT OF BEGINNING; thence SO5°00'00"E a distance of 155.00 feet; thence S85°00'00"W a distance of 67.86 feet to a point of curvature of a circular curve concave northeasterly having a radius of 20.00 feet; thence northwesterly along said curve through a central angle of 88°23'47" a distance of 30.86 feet to a point of non-tangency; thence S85°39'26"W a distance of 24.02 feet to a point of non-tangency on a circular curve concave northwesterly whose radius bears \$83°23'47"W a distance of 20.00 feet; thence Southwesterly along said curve through a central angle of 89°35'13" a distance of 31.27 feet to a point of reverse curvature with a circular curve concave southerly having a radius of 1342.42 feet; thence westerly along said curve through a central angle of 02°09'06" a distance of 50.41 feet to a point of reverse curvature of a circular curve concave northeasterly having a radius of 20.00 feet; thence Northwesterly along said curve through a central angle of 79°10'00" a distance of 27.63 feet to a point of tangency; thence N20°00'06"W a distance of 133.75 feet to a point of curvature of a circular curve concave easterly having a radius of 387.50 feet; thence Northerly along said curve through a central angle of 00°21'07" a distance of 2.38 feet to a point of non-tangency; thence N82°02'21"E a distance of 237.82 feet to the TRUE POINT OF BEGINNING.

The above described parcel containing 0.74 Acres more or less.

LEGAL DESCRIPTION
PHASE 8
MONTAGE AT TIBURON CONDOMINIUM

That portion of Section 19, T1S, R4E, G&SRB&M, Maricopa County, Arizona, being more particularly described as follows:

Commencing at the NW corner of said Section 19: thence SOO°23'47"W along the West line of said Section 19, a distance of 1296.24 feet; Thence S89°36'13"E a distance of 159.67 feet to a point of curvature of a circular curve concave northerly having a radius of 1500.00 feet: thence Easterly along said curve and the center line of Highland Street through a central angle of 14°41'10" a distance of 384.48 feet; thence S14°17'23"E a distance of 30.00 feet to a point on the south right-of-way line of Highland Street, said Point being the TRUE POINT OF BEGINNING; said point being a point on of a circular curve concave southeasterly whose radius bears N77°16'53"E a distance of 20.00 feet; thence Southwesterly along said curve through a central angle of 88°25'44" a distance of 30.87 feet to a point of tangency; thence S12°43'07"E a distance of 7.72 feet to a point of curvature of a circular curve concave westerly whose radius bears \$77°16'53"W a distance of 177.50 feet; thence Southerly along said curve through a central angle of 01°08'04" a distance of 3.51 feet to a point of tangency; thence S11°35'03"E a distance of 127.20 feet to a point of curvature of a circular curve concave Northeasterly whose radius bears N78°24'57"E a distance of 20.00 feet; thence Easterly along said curve through a central angle of 92°30'17" a distance of 32.29 feet to a point of compound curvature of a circular curve concave northerly having a radius of 687.50 feet; thence Easterly along said curve through a central angle of 05°00'42" a distance of 60.13 feet to a point of compound curvature of a circular curve concave northwesterly having a radius of 20.00 feet; thence Northerly along said curve through a central angle of 85°58'23" a distance of 30.01 feet to a point of non-tangency; thence N57°18'03"E a distance of 25.18 feet to a point of non-tangent of a circular curve concave northeasterly whose radius bears N74°55'36"E a distance of 20.00 feet; thence Southeasterly along said curve through a central angle of 99°33'42" a distance of 34.75 feet to a point of non-tangency; thence N24°38'06"W a distance of 9.00 feet to a point of non-tangent of a circular curve concave northwesterly whose radius bears N24°38'06"W a distance of 678.50 feet; thence Easterly along said curve through a central angle of 05°01'34" a distance of 59.52 feet to a point of non-tangency; thence S29°39'40"E a distance of 9.00 feet to a point of non-tangent of a circular curve concave westerly whose radius bears N29°39¹40"W a . A second distance of 20.00 feet; thence Northeasterly along said curve through a central angle of 86°48'28" a distance of 30.30 feet to a point of reverse curvature of a circular curve concave northeasterly having a radius of 384.98 feet; thence Northerly along said curve through a central angle of 11°23'44" a distance of 76.57 feet to a point of tangency; thence N15°04'24"W a distance of 37.00 feet to a point of curvature of a circular curve concave southwesterly having a radius of 20.00 feet; thence Northerly along said curve through a central angle of 90°00'00" a distance of 31.42 feet to a point of tangency; thence S74°55'36"W a distance of 142.15 feet to a circular curve concave northerly with a radius of 1530.00 feet; thence westerly along said curve through as central angle of 00°47'01" a distance of 20.92 feet to the TRUE POINT OF BEGINNING



SHEET 10 OF 10

333-1